


# SAP-T603Y Ceiling Speaker

## INTRODUCTION

The SAP-T603Y is a full-range ceiling speaker equipped with a 6-inch full-range driver for clear sound reproduction. It features mounting tabs for easy installation, making it suitable for hotels, schools, shopping malls, offices, and other indoor environments.

## MAIN FEATURES

- **Full-Range Speaker Design:** Adopts a 6" full-range speaker unit for clear and natural sound reproduction.
- **Compact Ceiling Installation:** Equipped with mounting tabs for quick and convenient ceiling installation.
- **Ideal for Indoor Applications:** Suitable for hotels, schools, shopping malls, offices, and other indoor environments.

100V Fixed  
VoltageFull-Range  
Speaker



PARAMETERS:

|                         |                            |
|-------------------------|----------------------------|
| Frequency Response      | 80 Hz~20 kHz               |
| Sensitivity             | 90 dB ± 3 dB (1 m / 1 W)   |
| Max. SPL                | 98 dB (1 m / 6 W)          |
| Rated Power             | 6 W                        |
| Power Taps (100 V)      | 6 W / 3 W                  |
| Input Voltage           | 100 V                      |
| Speaker Design          | Full-range speaker         |
| Speaker Component       | 6" full-range speaker unit |
| Housing Material        | ABS                        |
| Grille Material         | Powder-coated iron mesh    |
| Color                   | White                      |
| Mounting                | Ceiling-mounted            |
| Application Environment | Indoor                     |
| Operating Temperature   | -25°C to +55°C             |
| Operating Humidity      | ≤95% RH, non-condensing    |
| Cutout Dimension        | Φ170 mm                    |
| Dimensions              | Φ188 × 76 mm               |
| Package Dimensions      | 190 × 78 × 195 mm          |
| Weight                  | 0.74 kg                    |
| Warranty                | 2 years                    |

DIMENSION

